


# AMENDMENTS TO THE CLAIMS

## Claim Listing

1. (currently amended) A compound of the general formula I or a pharmaceutically acceptable salt, derivative, prodrug or stereoisomer thereof




(I)

wherein the substituent groups defined by R are each independently selected from the group consisting of H, SiR<sup>3</sup>, SOR', SO<sub>2</sub>R', C(=O)R', C(=O)OR', C(=O)NHR', substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, aryl, heteroaryl or aralkyl;


the group R' is selected from substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, aminoalkyl, aryl, aralkyl and heterocyclic groups; and

the group R'' is selected from the group consisting of H, OH, OR', OCOR', SH, SR', SOR', SO<sub>2</sub>R', NO<sub>2</sub>, NH<sub>2</sub>, NHR', N(R')<sub>2</sub>, NHCOR', N(COR')<sub>2</sub>, NHSO<sub>2</sub>R', CN, halogen, C(=O)H, C(=O)R', CO<sub>2</sub>H, CO<sub>2</sub>R', CH<sub>2</sub>OR, substituted or unsubstituted alkyl, substituted or unsubstituted haloalkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkylidene, substituted or unsubstituted alkynyl, substituted, or unsubstituted aryl, substituted or unsubstituted aralkyl and substituted or unsubstituted heteroaromatic;

with the proviso that the compound is not ~~compound 1, 3 or 4 of US 5,514,708~~ a compound of




2. (previously presented) A compound according to claim 1, with the following stereochemistry



3. (currently amended) A compound according to claim 1, wherein R" is CH<sub>2</sub>OH




5




which may exist as a mixture of the ketone isomer and the hemiketal isomer, or as one of the two isomeric forms at each isomeric center.


4. (currently amended) A compound according to claim 3, with the following stereochemistry



5. (currently amended) A compound according to claim 4, with the following stereochemistry




6. (currently amended) A compound according to claim 4, with the following stereochemistry



7. (original) A compound according to claim 1 or 2, wherein R" is a substituted or unsubstituted alkylidene.

8. (previously presented) A compound according to claim 3, wherein at least one of the R substituents is C(=O)R'.


9. (currently amended) A compound according to claim 8, which is of ~~formula~~ formula 47



10. (currently amended) A compound according to claim 1, wherein at least one of the R substituents is ~~not hydrogen~~ is selected from the group consisting of SiR'<sub>3</sub>, SOR', SO<sub>2</sub>R', C(=O)R', C(=O)OR', C(=O)NHR', substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, aryl, heteroaryl or aralkyl.


11. (original) A compound according to claim 10, wherein each group R that is not hydrogen is a protecting group, which may be the same or different.

12. (original) A compound according to claim 11, which is of formula




where R<sup>1</sup>, R<sup>2</sup>, R<sup>6</sup> and R<sup>7</sup> are hydroxy protecting groups.

13. (previously presented) A compound according to claim 12, which is of the formula 19:



where R<sup>1</sup>, R<sup>2</sup>, R<sup>6</sup> and R<sup>7</sup> are hydroxy protecting groups.

14. (original) A compound according to claim 12, which is of the formula 30:




where R<sup>1</sup>, R<sup>2</sup>, R<sup>6</sup> and R<sup>7</sup> are hydroxy protecting groups.

15. (previously presented) A compound according to claim 12, wherein R<sup>1</sup>, R<sup>2</sup>, R<sup>6</sup> and R<sup>7</sup> are the same protecting group.

16. (previously presented) A compound according to claim 12, wherein  $R^1$ ,  $R^2$ ,  $R^6$  and  $R^7$  are chosen from TBS (tBuMe<sub>2</sub>Si-), TBDPS (tBuPh<sub>2</sub>Si-), TES (Et<sub>3</sub>Si-), MOM (CH<sub>3</sub>OCH<sub>2</sub>-), MEM (CH<sub>3</sub>OCH<sub>2</sub>CH<sub>2</sub>OCH<sub>2</sub>-), SEM ((CH<sub>3</sub>)<sub>3</sub>SiCH<sub>2</sub>CH<sub>2</sub>OCH<sub>2</sub>-) and Ac- (CH<sub>3</sub>CO-).

17. (original) A compound according to claim 16, wherein  $R^1$ ,  $R^2$ ,  $R^6$  and  $R^7$  are chosen from TBS (tBuMe<sub>2</sub>Si-) and TBDPS (tBuPh<sub>2</sub>Si-).


18. (currently amended) A compound according to claim 11, which is of formula




where  $R^1$  is a hydroxy protecting group.

19. (currently amended) A compound according to claim 18, which is of the ~~formula 20~~ formula:





20. (currently amended) A compound according to claim 11, which is ~~formula 24~~ formula:



21. (previously presented) A compound according to claim 11, wherein the protecting group is TBS ( $t\text{BuMe}_2\text{Si-}$ ).

22. (previously presented) A pharmaceutical composition comprising a compound according to claim 1, and a pharmaceutically acceptable carrier.

23. (withdrawn) A method of preparing a medicament for treating a tumor comprising combining a compound according to claim 1 with a pharmaceutically acceptable carrier.

24. (withdrawn) A method of treating a tumor which comprises administering an effective

amount of a compound according to claim 1.

25. (withdrawn) A process for synthesis of a myriaporone compound of formula 5:




5

which may exist as a mixture of the ketone isomer and the hemiketal isomer, or as one of the two isomeric forms;

wherein the substituent groups defined by R are each independently selected from the group consisting of H, SiR'<sub>3</sub>, SOR', SO<sub>2</sub>R', C(=O)R', C(=O)OR', C(=O)NR', substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, aryl, heteroaryl or aralkyl, and wherein at least one group R is hydrogen;

and wherein the group R' is selected from substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, aminoalkyl, aryl, aralkyl and heterocyclic groups;

which comprises removing a protecting group from an intermediate compound of formula:




wherein the substituent groups defined by R are each independently selected from the group consisting of H, SiR'<sub>3</sub>, SOR', SO<sub>2</sub>R', C(=O)R', C(=O)OR', C(=O)NR', substituted or



unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, aryl, heteroaryl or aralkyl, and wherein the or each group R to become hydrogen in the compound 5 is in the intermediate compound a protecting group; and wherein the group R' is as defined.


26. (withdrawn) A process according to claim 25, wherein more than one group R in the intermediate compound is a protecting group.

27. (withdrawn) A process according to claim 25, which comprises removing at least one protecting group from a compound of formula 19:



where R<sup>1</sup>, R<sup>2</sup>, R<sup>6</sup> and R<sup>7</sup> are hydroxy protecting groups.


28. (withdrawn) A process according to claim 25, which comprises removing at least one protecting group from a compound of formula 30:



where  $R^1$ ,  $R^2$ ,  $R^6$  and  $R^7$  are hydroxy protecting groups.

29. (withdrawn) A process according to any of claims 25 to 28, wherein  $R^1$ ,  $R^2$ ,  $R^6$  and  $R^7$  are the same protecting group and are removed.

30. (withdrawn) A process according to claim 25, which comprises removing a protecting group from a compound of formula 20:




where  $R^1$  is a hydroxy protecting group.

31. (withdrawn) A process according to claim 25, which comprises removing a protecting group from a compound of formula 31:



where  $R^1$  is a hydroxy protecting group.

32. (withdrawn) A process for synthesis of a myriaporone compound of formula 1:



(I)


wherein the substituent groups R and R'' are as defined in claim 1;






which comprises derivatisation of a compound of formula 5:




which may exist as a mixture of the ketone isomer and the hemiketal isomer, or as one of the two isomeric forms; and wherein the substituent groups are as defined in claim 25.

33. (withdrawn) A process according to claim 25, when carried out by the steps of Scheme 1 starting from compound 6













Scheme 1

where  $R^1$ ,  $R^2$ ,  $R^4$ ,  $R^6$  and  $R^7$  are hydroxy protecting groups.

34. (withdrawn) A process according to claim 25, when carried out by the steps of Scheme 2 starting from compound 6







Scheme 2

where  $R^1$ ,  $R^2$ ,  $R^4$ ,  $R^6$  and  $R^7$  are hydroxy protecting groups.

35-49. (canceled)